

# Play Framework

Václav Legát

A4M35OSP



# > My contribution

- To solve issue #1625
  - Java documentation for changeLang method



[playframework / playframework](#)

## changeLang lacks Java documentation #1625

[Open](#)

smola opened this issue on 9 Sep 2013 · 3 comments



smola commented on 9 Sep 2013

[Play 2.1.x Java i18n docs lack documentation about](#) `Controller.changeLang`.



# > Language files

- conf/application.conf
- conf/messages.en
- conf/messages.fr
- conf/messages.cs

```
9
10 # The application languages
11 # ~~~~~
12 application.langs="en,fr,cs"
13

1 title=English
2 greeting>Hello
```

```
1 title=Français
2 greeting=Salut
```

```
1 title=Čeština
2 greeting=Ahoj
```



# > Controller.changeLang

- framework\src\play\src\main\java\play\mvc\Controller.java

```
/**  
 * Change durably the lang for the current user  
 * @param code New lang code to use (e.g. "fr", "en_US", etc.)  
 * @return true if the requested lang was supported by the application, otherwise false.  
 */  
public static boolean changeLang(String code) {  
    return Http.Context.current().changeLang(code);  
}
```




# > Http.Context.changeLang

- framework\src\play\src\main\java\play\mvc\Http.java

```
/**  
 * Change durably the lang for the current user.  
 * @param code New lang code to use (e.g. "fr", "en_US", etc.)  
 * @return true if the requested lang was supported by the application, otherwise false.  
 */  
public boolean changeLang(String code) {  
    Lang lang = Lang.forCode(code);  
    if (Lang.availables().contains(lang)) {  
        this.lang = lang;  
        response.setCookie(Play.langCookieName(), code);  
        return true;  
    } else {  
        return false;  
    }  
}
```



# > PLAY\_LANG cookie




The screenshot shows the Chrome DevTools interface with the "Resources" tab selected. On the left, a sidebar lists storage types: IndexedDB, Local Storage, Session Storage, Cookies, localhost, and Application Cache. The "localhost" item is highlighted with a blue bar. On the right, a table displays cookies for the localhost domain. One cookie is visible: PLAY\_LANG with a value of cs.

| Name      | Value | Do...  |
|-----------|-------|--------|
| PLAY_LANG | cs    | loc... |



# Documentation



## Changing language

To permanently change the user language, use the `changeLang()` method:

```
Controller.changeLang("cs");
```

The new value will be saved to the user's language cookie.

## Externalizing messages

You can externalize messages in the `conf/messages.xxx` files.

The default `conf/messages` file matches all languages. You can specify additional language messages files, such as `conf/messages.fr` or `conf/messages.en-US`.





# Collaboration

- Response in 1 day.
  - "Feel free to create a pull request about doc."
- Pull request merged in 3 days.



**Thank you for your attention.**

