



MIRANDA IM

Jiří Kulovaný

kulovjir@fel.cvut.cz

O PROJEKTU

- Web: miranda-im.org
- Multiprotokolový IM client pro Windows
- Není nutná instalace
- Plugin framework
- Plugin databáze (534 pluginů k 14.3.2012)
- Vývoj pod GNU GPL
- Start 2. února 2000



VÝVOJ A PROTOKOLY

- Kubilay Kocak, koobs
 - (Project Manager, System Administrator)
- Tim Hunter, cojones
 - (Resource Manager)
- Robert Rainwater, rainwater
 - (Lead Developer)

Repozitář: SVN

Bug Tracking:

code.google.com/p/miranda/

Vývojové prostředí: Visual Studio v7-
v10

- AIM (AOL Instant Messenger)
- Facebook (See instructions)
- Gadu-Gadu
- IAX (Inter-Asterisk Exchange)
- ICQ
- IRC (Internet Relay Chat)
- Jabber
- MSN
- Netsend
- Tlen
- Yahoo
- a další



POPIS PRÁCE

Fix bugu číslo 206 (<http://code.google.com/p/miranda/issues/detail?id=206>)

What steps will reproduce the problem?

1. Choose a directory (or directory structure)
2. Send it via ICQ protocol (not tested in combination with other protocols)
3. Recipient has last Miranda 0.8.5 stable release or ICQ5 client (not tested between two 0.9.0 alpha releases)

What is the expected result?

Directory will be transmitted including the directory structure.

What happens instead?

No directory structure at the recipient. => Files only.



Author: borkra

Date: May 13 (2 days ago)

Log message

Fixed ICQ directory during file transfer (Fixed ~~issue 206~~)
Patch by Jirka Kulovaný

Affected files [expand all](#) [collapse all](#)

⊕ Modify [/branches/stable/miranda/protocols/lcqOscarJ/oscar_filetransfer.cpp](#)

```

oscar_filetransfer *ft;
int i, filesCount;
struct _stati64 statbuf;
char ** filesUtf;

// Initialize filetransfer struct
NetLog_Server("Init file send");

ft->files = (oft_file_record *)SAFE_MALLOC(sizeof(oft_file_record) * filesCount);
ft->files_list = (char**)SAFE_MALLOC(sizeof(TCHAR *) * filesCount);
ft->qwTotalSize = 0;

filesUtf = (char**)SAFE_MALLOC(sizeof(char *) * filesCount);
for(i = 0; i < filesCount; i++) filesUtf[i] = FileNameToUtf(files[i]);

// Prepare files arrays
for (i = 0; i < filesCount; i++)
{
    {
        if (!(statbuf.st_mode&S_IFDIR))
        { // take only files
            ft->files[ft->wFilesCount].szFile = ft->files_list[ft->wFilesCount] = FileNameToUtf(files[i]);
            ft->files[ft->wFilesCount].szContainer = oftGetFileContainer(ft, (LPCSTR*)ft->files_list, ft->wFilesCount);
            ft->files[ft->wFilesCount].szFile = ft->files_list[ft->wFilesCount] = null_strdup(filesUtf[i]);
            ft->files[ft->wFilesCount].szContainer = oftGetFileContainer(ft, (LPCSTR*) filesUtf, i);

            ft->wFilesCount++;
            ft->qwTotalSize += statbuf.st_size;
        }
    }
}

for (int i = 0; i < filesCount; i++)
    SAFE_FREE(&filesUtf[i]);
SAFE_FREE((void**)&filesUtf);

```



VÝSLEDKY MÉ PRÁCE

- ☑ Odezva od člena projektu
 - Issue tracker, Email
- ☑ Vaše změny (i nepřijaté) jsou dostupné ve veřejném repozitáři
 - GitHub
- ☑ Otestování vašich změn členem projektu
 - Email, Commit
- ☑ Zahrnutí vaší implementace do projektu
 - Commit
- ☑ Výsledná práce odpovídá zadání ze 3. týdne
 - Potvrzení opravení chyby v issue trackeru dle zadání

